

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

			· · · · · · · · · · · · · · · · · · ·		
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/718,031	11/19/2003	Mark L. DiOrio	MTB005US1P	7148	
27906 75	590 03/16/2005		EXAMINER		
PATENT LAW OFFICES OF DAVID MILLERS			NGUYEN, JIMMY		
***************************************	6560 ASHFIELD COURT SAN JOSE, CA 95120		ART UNIT	PAPER NUMBER	
,			2829		
			DATE MAILED: 03/16/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

(
		Application No.	Applicant(s)			
		10/718,031	DIORIO, MARK L.			
	Office Action Summary	Examiner	Art Unit			
		Jimmy Nguyen	2829			
 Period for	The MAILING DATE of this communication app Reply	ears on the cover sheet with the c	orrespondence address			
THE M. - Extensi after SI. - If the pe - If NO pe - Failure Any rep	RTENED STATUTORY PERIOD FOR REPLY AILING DATE OF THIS COMMUNICATION. ons of time may be available under the provisions of 37 CFR 1.13 X (6) MONTHS from the mailing date of this communication. eriod for reply specified above is less than thirty (30) days, a reply eriod for reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, by received by the Office later than three months after the mailing patent term adjustment. See 37 CFR 1.704(b).	16(a). In no event, however, may a reply be tim within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from to cause the application to become ABANDONED	ely filed will be considered timely. he mailing date of this communication. 0 (35 U.S.C. § 133).			
Status			•			
1)⊠ R	desponsive to communication(s) filed on 20 De	ecember 2004				
•						
3)□ S	,—					
Dispositio	n of Claims					
5)□ C 6)⊠ C 7)□ C	4) ☐ Claim(s) 1-10; 13, 15 - 33 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-10; 13; 15 - 33 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or election requirement.					
Application	n Papers					
10)⊠ TI A R	ne specification is objected to by the Examiner ne drawing(s) filed on 19 November 2003 is/ar pplicant may not request that any objection to the coeplacement drawing sheet(s) including the correction or declaration is objected to by the Example 19 page 1	re: a)⊠ accepted or b)⊡ objectodrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority un	der 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s	of References Cited (PTO-892)	4) 🔲 Interview Summary				
3) 🔲 Informa	of Draftsperson's Patent Drawing Review (PTO-948) tion Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Io(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te atent Application (PTO-152)			

Art Unit: 2829

DETAILED ACTION

Response to Argument

The applicant's amendment filed 12/20/2004 has been considered and in mood with the new ground of rejection.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1, 2, 7 – 9, 13, 15 – 18, 22 – 33 are rejected under 35 U.S.C. 102(e) as being anticipated by Nuytkens et al. (US 6,552,555).

As to claim 1, Nuytkens et al disclose (figs 1 and 2) a probing system for testing a device comprising:

a probe (30a) comprising a semiconductor die (32) and probe tips (46) on the semiconductor die (32) wherein the probe tips (46) comprise bumps that are arranged in a pattern that matches a pattern of terminals (54a, 54b, fig 2) on the device and that directly contact the terminals (54a, 54b, fig 2) during testing of the device; and

a tester (connected with the probe card 20) electrically connected to the probe tips (46).

Art Unit: 2829

As to claims 2, 32, Nuytkens et al disclose (figs 1, 2) the system of claim 1, wherein the device (30a) comprises a semiconductor material (silicon, substrate) that is substantially the same as material in the semiconductor die (also silicon).

As to claims 7, 17, Nuytkens et al disclose (figs 1, 2) the system of claim 1, wherein the semiconductor die comprises:

terminals (46) on a bottom surface of the semiconductor die (32); and conductive vias (38, 44, 51) that pass through the semiconductor die (32) and provide electrical connections between the probe tips (46) on a top surface of the die (32) and the terminals (46) on the bottom surface.

As to claims 8, 30, Yuytkens et al disclose (figs 1, 2) the system of claim 7, wherein the probe (30a0 further comprises a substrate (34, 36) on which the semiconductor die (32) is mounted, wherein the terminals (the patterns of terminals of substrate are matching with the patterns of terminals on the substrates 34, 36) of the semiconductor die (32) directly contact the substrate (34, 36).

As to claim 9, Yuytkens et al disclose (figs 1, 2) the system of claim 8, further comprising a probe card (20), wherein terminals on the substrate directly contact (throughout the connection 51) the probe card.

Art Unit: 2829

As to claim 13, Yuytkens et al disclose (figs 1, 2) a method for forming a probe for electrical testing of a semiconductor device comprising;

Form a probe (30a) comprising a semiconductor die (32) on which probe tips (46) are arranged in a pattern that matches a pattern of terminals (54a, 54b, fig 2) on the device; therefore Yuytkens et al teach the method of forming probe tips wherein forming the probe tips comprises:

Form contact pads (42) on the semiconductor die (32); therefore Yuytkens et al teach the method of forming contact pad; and

Form conductive bumps (46) on a surface of the contacts pads (42); therefore Yuytkens et al teach the method of forming conductive bump; and

Fabricate an interconnect structure (38, 40, 51) for electrical connection of the probe tips (46) to test equipment (connected to probe card 20); therefore Yuytkens et al teach the method of fabricating.

As to claims 15, 22, 29, Yuytkens et al disclose (figs 1, 2) the method of claim 13 wherein fabricating the interconnect structure (38, 40, 51) comprises forming conductive traces (42) or contact pads (42) on a surface of the semiconductor die on which the probe tips (46) reside.

Art Unit: 2829

As to claim 16, Yuytkens et al disclose (figs 1, 2) the method of claim 15, further comprising wire bonding the conductive traces to a substrate.

As to claim 18, Yuytkens et al disclose (figs 1, 2) the method of claim 17, wherein forming the conductive vias comprises:

Form holes in semiconductor die (32); therefore Yuytkens et al teach the method of forming hole and

Fill the holes with a conductive material (the conductive lines 38, 40); therefore Yuytkens et al teach the method of filling hole.

As to claim 23, Yuytkens et al disclose (figs 1, 2) the method further comprising attaching the terminals (46) to an interconnect substrate (34, 36, 51).

As to claim 24, Yuytkens et al disclose (figs 1, 2) the method further attaching terminal comprises performing a solder reflow process (for attaching the solder bumps 46 to substrate).

As to claims 25, 26, Yuytkens et al disclose (figs 1, 2) the method of forming probe tips (46) further comprises planarizing the bumps (after contacting with the terminal 54a, 54b, fig 2) and planarizing comprises chemical mechanical polishing.

Page 6

Application/Control Number: 10/718,031

Art Unit: 2829

As to claims 27, 28, Yuytkens et al disclose (figs 1, 2) the method of forming contact pads (46) on the semiconductor die comprises a manufacturing process or mask that is substantially identical to a process used in fabricating contact pads (54a, 54b, fig 2) on the semiconductor device to be tested.

As to claim 31, Yuytkens et al disclose (figs 1, 2) the system wherein surfaces of the bumps (46) that contact the device are planar (when it comes to contact with dut) and in the same plane.

As to claim 33, Yuytkens et al disclose (figs 1, 2) the bumps (46) are of a type suitable for use in a flip chip package.

Application/Control Number: 10/718,031 Page 7

Art Unit: 2829

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. Claims 3 6 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nuytkens et al. (US 6,552,555) in view of Nakajima et al. (US 5804983).

As to claim 3, Nuytkens et al discloses (figs 1 and 2) a probing system for testing a device comprising:

a probe (30a) comprising a semiconductor die (32) and probe tips (46) on the semiconductor die (32) wherein the probe tips (46) comprise bumps that are arranged in a pattern that matches a pattern of terminals (54a, 54b, fig 2) on the device and that directly contact the terminals (54a, 54b, fig 2) during testing of the device; and

a tester (connected with the probe card 20) electrically connected to the probe tips (46).

However, Nuytkens et al are silent on a probe card including a receptacle in which the probe is detachably mounted, wherein the tester makes electrical connections to the probe tips through the probe card.

On the other hand, Nakajima et al disclose (fig 1) the system of claim 1 further comprising a probe card (22) including a receptacle (25, card holder) in which the probe

(22) is detachably mounted (column 5 lines 65 – 67), wherein the tester (28) makes electrical connections to the probe tips (23) through the probe card (22).

It would have been obvious to one having an ordinary skill in the art at the time of the invention was made to modify the probe card of Nuytkens with the receptacle probe card of Nakajima et al for the purpose of replacing different probe card to match with different device under test.

As to claim 4, The combination of Yuytkens et al and Nakajima et al disclose the system of claim 3, wherein the probe (30a) further comprises a substrate (34 or 36) on which the semiconductor die (32) is mounted; further, Nakajima et al disclose the receptacle (25) being sized to hold the substrate (22).

As to claim 5, Nuytkens et al disclose (figs 1, 2) the system of claim 1, wherein the device (30a) comprises a semiconductor material (silicon, substrate) that is substantially the same as material in the semiconductor die (also silicon).

As to claim 6, Yuytkens et al disclose (figs 1, 2) the system of claim 4 and the method of claim 13, wherein the semiconductor die (32) comprises contact pads (42) to which respective probe tips (46) are attached, and wire bonds (38, 40, 51) electrically connect the contact pads (42) to the substrate (32).

Art Unit: 2829

As to claim 10, Nuytkens et al discloses (figs 1 and 2) a probing system for testing a device comprising:

a probe (30a) comprising a semiconductor die (32) and probe tips (46) on the semiconductor die (32) wherein the probe tips (46) comprise bumps that are arranged in a pattern that matches a pattern of terminals (54a, 54b, fig 2) on the device and that directly contact the terminals (54a, 54b, fig 2) during testing of the device; and

a tester (connected with the probe card 20) electrically connected to the probe tips (46).

However, Nuytkens et al are silent on a positioning system adapted to position the probe relative to the device so that the probe tips contact the terminals on the device.

On the other hand, Nakajima et al disclose (fig 1) the system of claim 1 further comprising a positioning system (17) adapted to position the probe (23) relative to the device (14) so that the probe tips (23) contact the terminals on the device (14).

It would have been obvious to one having an ordinary skill in the art at the time of the invention was made to modify the probe card of Nuytkens with the receptacle probe card of Nakajima et al for the purpose of replacing different probe card to match with different device under test.

4. Claims 19 – 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nuytkens et al. (US 6,552,555) in view of Yanof et al. (US 5,513,430).

As to claims 19, 20, Nuytkens et al disclose everything except for the method of forming the holes comprises the laser drilling and etching.

On the other hand, Yanof et al teach (fig 2) the method of forming the holes (14) comprises the laser (27) drilling and etching.

It would have been obvious to one having an ordinary skill in the art at the time of the invention was made to use the laser for the purpose of forming tapered probes in the off angle situation.

As to claim 21, Yanof et al disclose the method wherein forming the conductive vias (14) comprises forming doped regions that extend through the semiconductor die.

Art Unit: 2829

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Jimmy Nguyen whose telephone number is (703) 306-

5858. The examiner can normally be reached on M - F from 9 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Ramize Nestor, can be reached on 571-272-2034. The fax phone number

for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

JN. March 8, 2005 VINH NGUYEN PRIMARY EXAMINER A.U. 2829 A

Page 11

03/14/05